



Monday, May 18, 2020

Attn: Ms. Jennifer Atkins
AECOM
250 Apollo Drive
Chelmsford, MA 01824

Project ID: GULF CHELSEA TERMINAL 60597375-0500
SDG ID: GCF95787
Sample ID#s: CF95787

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

Phyllis Shiller

Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #M-CT007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
UT Lab Registration #CT00007
VT Lab Registration #VT11301



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Sample Id Cross Reference

May 18, 2020

SDG I.D.: GCF95787

Project ID: GULF CHELSEA TERMINAL 60597375-0500

Client Id	Lab Id	Matrix
OUTFALL 003	CF95787	SW DISCHARGE



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

May 18, 2020

FOR: Attn: Ms. Jennifer Atkins
AECOM
250 Apollo Drive
Chelmsford, MA 01824

Sample Information

Matrix: SW DISCHARGE
Location Code: AECOME-GULF
Rush Request: 72 Hour
P.O.#:

Custody Information

Collected by:
Received by: CP
Analyzed by: see "By" below

Date

05/14/20
05/14/20

Time

9:05
17:26

Laboratory Data

SDG ID: GCF95787
Phoenix ID: CF95787

Project ID: GULF CHELSEA TERMINAL 60597375-0500
Client ID: OUTFALL 003

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Total Suspended Solids	15	5.0	mg/L	1	05/15/20	ARG/QH	SM 2540D-11

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.
The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

May 18, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

May 18, 2020

QA/QC Data

SDG I.D.: GCF95787

Parameter	Blank	Blk RL	Sample Result	Dup Result	Dup RPD	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 529986 (mg/L), QC Sample No: CF95436 (CF95787)													
Total Suspended Solids	BRL	2.5	<5.0	<5.0	NC	92.0						85 - 115	

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria
Intf - Interference

Phyllis Shiller, Laboratory Director
May 18, 2020

Monday, May 18, 2020

Criteria: None
State: MA

Sample Criteria Exceedances Report
GCF95787 - AECOME-GULF

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units
--------	-------	-----------------	----------	--------	----	----------	----------------	-------------------

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this exceedance report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Comments

May 18, 2020

SDG I.D.: GCF95787

The following analysis comments are made regarding exceptions to criteria not already noted in the Analysis Report or QA/QC Report: None.

